



Bombillas

Serie MR16 HP (tipo dicroicas)

LS- MR16-1W-HP



Características	
BASE	MR16
SIZE	48 * ϕ 50
POWER	1W
LUMEN	100 lm
INPUT	AC90-240V/12V

LS- MR16-3*1W-HP(1)



Características	
BASE	MR16
SIZE	48 * ϕ 50
POWER	3*1W
LUMEN	300 lm
INPUT	AC90-240V/12V

LS- MR16-3*1W-HP(2)



Características	
BASE	MR16
SIZE	50 * ϕ 50
POWER	3*1W
LUMEN	300 lm
INPUT	AC90-240V/12V



LS- MR16-3*1W-HP(3)

Características	
BASE	MR16
SIZE	49 * ϕ 50
POWER	3*1W
LUMEN	300 lm
INPUT	AC90-240V/12V



LS- MR16-3*1W-HP(4)

Características	
BASE	MR16
SIZE	48 * ϕ 50
POWER	3*1W
LUMEN	300 lm
INPUT	AC90-240V/12V



LS- MR16-3*1W-HP(5)

Características	
BASE	MR16
SIZE	48 * ϕ 50
POWER	3*1W
LUMEN	300 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(1)

Características	
BASE	MR16
SIZE	48 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(2)

Características	
BASE	MR16
SIZE	50 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(3)

Características	
BASE	MR16
SIZE	49 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(4)

Características	
BASE	MR16
SIZE	56 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(5)

Características	
BASE	MR16
SIZE	55 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(6)

Características	
BASE	MR16
SIZE	55 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(7)

Características	
BASE	MR16
SIZE	55 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(8)

Características	
BASE	MR16
SIZE	62 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(9)

Características	
BASE	MR16
SIZE	67 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(10)

Características	
BASE	MR16
SIZE	74 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(11)

Características	
BASE	MR16
SIZE	82 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(12)

Características	
BASE	MR16
SIZE	89 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(13)

Características	
BASE	MR16
SIZE	71 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(14)

Características	
BASE	MR16
SIZE	71 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(15)

Características	
BASE	MR16
SIZE	71 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3W-HP(16)

Características	
BASE	MR16
SIZE	72 * ϕ 50
POWER	3W
LUMEN	170 lm
INPUT	AC90-240V/12V



LS- MR16-3*2W-HP (1)

Características	
BASE	MR16 / E27 / GU10 / E14
SIZE	70,9 * ϕ 50
POWER	3*2W
LUMEN	420 lm
INPUT	AC90-240V/12V